

CLIMA PUBLICATIONS – 2004

SCIENTIFIC JOURNALS

- Berger, J.D., Turner, N.C., Siddique, K.H.M., Knights, E.J., Brinsmead, R.B., Mock, I., Edmondson, C. and Khan, T.N. (2004). Genotype by environment studies across Australia reveal the importance of phenology for chickpea (*Cicer arietinum* L.) improvement. *Australian Journal of Agricultural Research*, **55**: 1071-1084.
- Clarke, H. and Siddique, K.H.M. (2004). Response of chickpea genotypes to low temperature stress during reproductive development. *Field Crops Research*, **90**: 323-334.
- Clarke, H.J., Khan, T.N. and Siddique, K.H.M. (2004). Pollen selection for chilling tolerance at hybridisation leads to improved chickpea cultivars. *Euphytica*, **139**: 65-74.
- Clements, J.C., Zvyagin, A., Silva, D., Wanner, T., Sampson, D. and Cowling, W.A. (2004). Investigation of optical coherence tomography to measure the hull thickness of lupin seeds. *Plant Breed.* **123**: 266-270.
- Dunbabin, V., Rengel, Z. and Diggle, A.J. (2004). Simulating form and function of root system architecture and the spatial and temporal variability of nitrate supply. *Functional Ecology*, **18**: 204-211.
- Galloway, J., MacLeod, W.J. and Lindbeck, K.D. (2004). Disease Notes or New Records: Formation of *Didymella lentis*, the teleomorph of *Ascochyta lentis*, on lentil stubble in the field in Victoria and Western Australia. *Australasian Plant Pathology*, **33**: 449-450.
- Glencross, B.D., Carter, C.G., Duijster, N., Evans, D.R., Dods, K., McCafferty, P., Hawkins, W.E., Maas, R. and Sipsas, S. (2004). A comparison of the digestibility of a range of lupin and soybean protein products when fed to either Atlantic salmon (*Salmo salar*) or rainbow trout (*Oncorhynchus mykiss*). *Aquaculture*, **237**: 333-346.
- Jones, R.A.C. (2004). Occurrence of virus infection in seed stocks and 3-year-old pastures of Lucerne (*Medicago sativa*). *Australian Journal of Agricultural Research*, **55**: 757-764.
- Jones, R.A.C. (2004). Using epidemiological information to develop effective integrated virus disease management strategies. *Virus Research*, **100**: 5-30.
- Jones, R.A.C. and Burchell, G.M. (2004). Resistance to *Cucumber mosaic virus* in *Lupinus mutabilis* (pearl lupin). *Australasian Plant Pathology*, **33**: 591-593.
- Latham, L.J. and Jones, R.A.C. (2004). Carrot virus Y: symptoms, losses, incidence, epidemiology and control. *Virus Research*, **100**: 89-99.
- Latham, L.J., Jones, R.A.C. and Coutts, B.A. (2004). Yield losses caused by virus infection in four combinations of non-persistently aphid-transmitted virus and cool-season crop legume. *Australian Journal of Experimental Agriculture*, **44**: 57-63.
- Palta, J.A., Turner, N.C. and French, R.J. (2004). The yield performance of lupin genotypes under terminal drought in a Mediterranean-type environment. *Australian Journal of Agricultural Research*, **55**: 449-459.
- Shan, F., Clarke, H., Yan, G., Plummer, J.A. and Siddique, K.H.M. (2004). Development of DNA fingerprinting keys for discrimination of *Cicer*

- echinospermum* (P.H. Davis) accessions using AFLP markers. *Australian Journal of Agricultural Research*, **55**: 947-952.
- Si, P. and Walton, G.H. (2004). Determinants of oil concentration and seed yield in canola and Indian mustard in the lower rainfall areas of Western Australia. *Australian Journal of Agricultural Research*, **55**: 367-377.
- Taylor, G.B. (2004). Effect of temperature and state of hydration on rate of imbibition in soft seeds of yellow serradella. *Australian Journal of Agricultural Research*, **55**: 39-45.
- Thackray, D.J., Diggle, A.J., Berlandier, F.A. and Jones, R.A.C. (2004). Forecasting aphid outbreaks and cucumber mosaic virus epidemics in lupin crops in a Mediterranean-type environment. *Virus Research*, **100**: 67-82.
- Timmerman-Vaughan, G.M., Frew, T.J., Butler, R., Murray, S., Gilpin, M., Falloon, K., Johnston, P., Lakeman, M.B., Russell, A. and Khan, T. (2004). Validation of quantitative trait loci for *Ascochyta* blight resistance in pea (*Pisum sativum* L.), using populations from two crosses. *Theoretical Applied Genetics*, **109**: 1620-1631.
- Turner, N.C. (2004). Agronomic options for improving rainfall-use efficiency of crops in dryland farming systems. *Journal of Experimental Botany*, **55** (407): 2413-2425.
- Webster, C.G., Wylie, S.J. and Jones, M.G.K. (2004). Diagnosis of plant viral pathogens. *Current Science*, **86**: 12, 1-4.
- Yadav, S.S., Kumar, J., Turner, N.C., Berger, J., Redden, R., McNeil, D., Materne, M., Knights, E.J. and Bahl, P.N. (2004). Breeding for improved productivity, multiple resistance and wide adaptation in chickpea (*Cicer arietinum* L.). *Plant Genetic Resources*, **2** (3): 181-187.
- Yang, H., Boersma, J.G., You, M., Buirchell, B.J. and Sweetingham, M.W. (2004). Development and implementation of a sequence-specific PCR marker linked to a gene conferring resistance to anthracnose disease in narrow-leafed lupin (*Lupinus angustifolius* L.). *Molecular Breeding* **14**: 145-151.

REVIEW ARTICLES, BOOKS AND BOOK CHAPTERS

- Francis, C. and Campbell, M. (2004). Alternative oilseeds for Australia. In: 'The New Crop Industries Handbook'. RIRDC. pp. 270-279.
- Glencross, B.D. (2004). Lupins. In: 'Aqua Feeds: Formulation & Beyond', Vol. 1 Issue 1, 11-15.
- Jones, R.A.C., Latham, L.J. and Coutts, B.A. (2004). Devising integrated disease management tactics against plant viruses from 'generic' information on control measures. *Agricultural Science*, Australia 17, 10-18.
- Khan, T.N. and Croser, J.S. (2004). Pea: Overview. In: 'Encyclopedia of Grain Science'. (Eds. C. Wrigley, H. Corke and C. Walker). Academic Publishers. pp. 287-295.
- Siddique, K.H.M. (2004). Water Deficits - Development. In: 'Encyclopedia of Plant and Crop Science'. Marcel Dekker Inc., New York USA. pp. 1284-1287.

- Siddique, K.H.M. and Bultynck, L. (2004). Chickpea: Agronomy. In: 'Encyclopedia of Grain Science'. (Eds. C. Wrigley, H. Corke and C. Walker). Academic Publishers. pp. 287-295.
- Slattery, J., Siddique, K.H.M. and Howieson, J. (2004). Cool-Season Grain Legumes Production and Rhizobial Interactions in Australian Dryland Agriculture. In: 'Challenges and Strategies for Dryland Agriculture'. Crop Science Society of America, Madison USA. Chapter 15, pp. 229-242.

CONFERENCE PAPERS/POSTERS

- Atkins, C. (2004). Breeding goals for narrow-leaved lupins (*Lupinus Angustifolius*). In: Proceedings of the 5th European Grain Legumes Conference, Dijon, France, 7-11 June 2004. www.grainlegumes.com
- Bakr, M.A., MacLeod, W.J., Johansen, C., Afzal, M.A., Knights, E.J., Pande, S., Bretag, T., Taylor, P.W.J., Mondal, N.A., Islam, S. and Siddique, K.H.M. (2004). International collaboration to develop integrated management and resistant varieties to minimise the impact of Botrytis Grey Mould in chickpea. In: 'New Directions for a Diverse Planet'. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au
- Berger, J., Turner, N.C. and Buck, R.P. (2004). Wild and cultivated *Cicer* species – different evolutionary paths lead to different phenological strategies that can be exploited to broaden the adaptation of chickpea (*C. arietinum* L.). In: 'New Directions for a Diverse Planet'. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au
- Byrne, O.M.T., Hardie, D.C.H. and Yan, G. (2004). Inheritance profile for pea weevil resistance in an interspecific cross between *Pisum fulvum* and cultivated field pea. In: Proceedings of the 5th European Grain Legumes Conference, Dijon, France, 7-11 June 2004. www.grainlegumes.com
- Campbell M. C. (2004). Potential of alternative oilseeds in WA. In: Proceedings of Western Australian No-Tillage Farmers Association (WANTFA) *New Frontiers* Conference. www.wantfa.com.au
- Campbell, M. and Francis, C. (2004). Alternative oilseeds for southern Australia. In: Proceedings of 2nd Australian New Crops Conference. September 20 - 24th. Gatton University, Queensland Australia. New Crops Conference 2004\Newcrops 2004 Second Australian New Crops Conference www.newcrops.uq.edu.au/nc2004
- Clements, J.C., Dracup, M., Buirchell, B.J. and Smith, C.G. (2004). Variation for hull and pod wall percentage and other traits in a germplasm collection and historical cultivars of lupins. In: Proceedings of the 5th European Grain Legumes Conference, Dijon, France, 7-11 June 2004. www.grainlegumes.com
- Croser, J., Lulsdorf, M., Cheng, B., Allen, K., Wilson, J., Dament, T., Siddique, K., Warkentin, T. and Vandenberg, A. (2004). Embryogenesis from isolated microspores of chickpea and field pea – Progress towards a doubled haploid protocol as a tool for crop improvement. In: 'New Directions for a Diverse Planet'.

- Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au
- Deng, X-P., Shan, L. Zhang, H. and Turner, N.C. (2004). Improving Agricultural Water Use Efficiency in Arid and Semiarid Areas of China. In: 'New Directions for a Diverse Planet'. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au
- Deshmukh, P.S., Singh, T., Kushwaha, S.R., Rao, L.S., Turner, N.C., Yadav, S.S. and Kumar, J. (2004). Effect of Delayed Planting on Membrane Injury and Yield of Six Chickpea Genotypes. In: 'New Directions for a Diverse Planet'. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au
- Gremigni, P., Furbank, R.T. and Turner, N.C. (2004). Can we increase seed size in chickpea (*Cicer arietinum* L.) and maintain it under terminal drought?, ComBio 2004 Combined Conference Abstracts, Perth, Australia, 26 - 30 September 2004, POS - WED-106.
- Gremigni, P., Furbank, R.T. and Turner, N.C. (2004). Genetic manipulation of seed size in chickpea. In: 'Legumes for the benefit of agriculture, nutrition and the environment: Their genomics, their products, and their improvement.' Conference Handbook of the joint 5th European Conference on Grain Legumes and 2nd International Conference on Legume Genomics and Genetics, Dijon, France, 7 - 11 June 2004, 141.
- Gunasekera, C.P., Martin, L.D., French, R.J. and Siddique, K.H.M. (2004). Response of mustard and canola genotypes to soil moisture stress during the post-flowering period. In: 'New Directions for a Diverse Planet'. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au
- Jones, R.A.C., Coutts, B.A. and Gajda, E. (2004). Collecting spatial data from different epidemic scenarios to help validate recommendations over cultural control measures against plant viruses. In: *Proceedings of 6th Australasian Plant Virology Workshop*, Sea World Nara Resort, Gold Coast, Queensland, p.62 (Abstr.)
- Kumar, J., Dhiman, N., Yadav, S.S., Berger, J., Turner, N.C. and Singh, D. (2004). Moisture stress studies in different chickpea types. In: 'New Directions for a Diverse Planet'. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au
- Liu, A., Snowball, R., Clinton Revell, C. and Nutt, B. (2004). Selecting suitable pasture legume species as fodder crops for the central wheatbelt of southwest Western Australia. The 4th International Crop Science Congress, Brisbane.
- Oliver, R.P., Ellwood, S., Kamphuis, L., D'Souza, N., Pfaff, T., Lichtenzveig, J., Klingler, J., Gao, L., Anderson, J., Chen, S., Creasey, R., Young, J., Onate-Sanchez, L., Edwards, O., Singh, K., Nair, R.M., Hughes, S. and Sweetingham, M. (2004). In: Proceedings of the 5th European Grain Legumes Conference, Dijon, France, 7-11 June 2004. www.grainlegumes.com
- Oliver, Y., Lefroy, T., Stirzaker, R. and Davies, C. (2004). Managing the interface of trees and crops – trade-offs in low rainfall zones. In: 'New Directions for a Diverse Planet'. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au

- Saqib, M., Wylie, S., Fosu-Nyarko, J.N., Smith T., Jones, M.G.K. and Jones R.A.C. (2004). Molecular dissection of virus resistance using *Medicago truncatula*. In: *Proceedings of 6th Australasian Plant Virology Workshop*, Sea World Nara Resort, Gold Coast, Queensland, p.76 (Abstr.)
- Shrestha, R., Siddique, K.H.M., Turner, D.W. and Turner, N.C. (2004). Morpho-agronomical variation among diverse lentil genotypes under rainfed environments in Nepal. In: 'New Directions for a Diverse Planet'. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au
- Siddique, K.H.M., Regan, K.L. and Baker, M.J. (2004). New ascochyta blight resistant, high quality kabuli chickpea varieties for Australia. In: 'New Directions for a Diverse Planet'. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au
- Siddique, K.H.M., Regan, K.L. and Baker, M.J. (2004). New ascochyta blight resistant, high quality kabuli chickpea varieties for Australia. In: 'New Directions for a Diverse Planet'. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au (Poster)
- Timmerman-Vaughan, G., Frew, T., Butler, R., Murray, S., Russell, A. and Khan, T. (2004). Quantitative trait loci for resistance to ascochyta blight of pea (*Pisum sativum* L.). In: Proceedings of the 5th European Grain Legumes Conference, Dijon, France, 7-11 June 2004. www.grainlegumes.com
- Wijayanto, T., Barker, S., Cowling, W., Wylie, S. and Gilchrist, D. (2004). Genetic manipulation of Programmed Cell Death (PCD) for fungal disease resistance in legume: development of lupin (*Lupinus angustifolius*) plants expressing the anti-apoptotic p35 gene. In: *Combio 2004: Combined Conference Abstracts*, Perth Western Australia, 26-30 September 2004, pp. 89. Australian Society for Biochemistry and Molecular Biology Inc.
- Yadav, S.S., Kumar, J., Turner, N.C., Muehlbauer, F.J., Knights, E.J., Redden, R., McNeil, D. and Berger, J. (2004). Enhancing adaptation of large-seeded kabuli chickpea to drought prone environments. In: 'New Directions for a Diverse Planet'. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au
- You, M., Boersma, J., Buirchell, B., Sweetingham, M. and Yang, H. (2004). Marker development and implementation for anthracnose resistance in Australia lupin breeding program. In: 'New Directions for a Diverse Planet'. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia, 26 September – 1 October 2004. www.cropscience.org.au

2 March 2005